2020 Databook

1/1/20-12/31/20

Prepared by the New Mexico Sentencing Commission

Contact Sheet Dataset Overview

- Unless otherwise noted n=7860 Contact Sheets.

- Contact Sheets do not represent all Mental Health calls in from 1/1/2020 to 12/31/2020. All counts are of contact sheets, not individuals. Individuals may be counted twice in demographic data.

- Most variables contain some missing or not applicable data. To reflect this each graph records the number of records in the variable in the bottom left of the table.

Contact Sheet Demographics

Total Contact Sheets Have Decreased in 2020

	2018	2019	2020
Number of Contact Sheets	8257	8510	7860

Male Individuals are more Common

Ages reported on Contact Sheets

	Under 10	10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 to 89	90 to 99	Over 100
	0.29%	9.73%	22.25%	25.17%	16.84%	12.95%	7.65%	3.00%	1.11%	0.61%	0.40%
n=7832	23	762	1743	1971	1319	1014	599	235	87	48	31

Age Category

Number of Contacts

Contact Sheets primarily involve White individuals*

■ n=7852	White	Native American	Black	Unknown	Other	Mixed	Asian	Pacific Islander
	5676	655	550	448	388	71	63	9

Race

*Hispanic Origin is tracked separately; about 35% (n=2740) of Contact Sheets identify a Hispanic Subject.

21% of Contact Sheets involve a Homeless Individual

Bar chart titled "Number of Contacts" (y-axis) versus "Self Identified Homeless Status" (x-axis).

n=7860	No	Yes	Unk
	5954	1674	232
	75.8%	21.3%	3.0%

About 5% of Contact Sheets involve a Veteran

Most Transports go to UNMMH or Kaseman (n=4724)

Transport Destination	Number of Transports	Percent of Transports
Kaseman	1845	39.1%
UNMMH	1816	38.4%
Lovelace	321	6.8%
Presbyterian	297	6.3%
VA	152	3.2%
Rust	125	2.6%
Lovelace Women's Hospital	75	1.6%
Lovelace Westside	49	1.0%
Other	25	0.5%
UNMH	6	0.1%
MDC	4	0.1%
PRESBYTERIAN DOWNTOWN	2	0.0%
UNM	2	0.0%
St. Joseph's	2	0.0%
MDC PSU	1	0.0%
PSU	1	0.0%
UNMH ER	1	0.0%

Encounter Data

Contact Sheets by Area Command

n=7740	Northeast	Southeast	Foothills	Valley	Northwest	Southwest
	31.3%	19.8%	14.9%	14.1%	11.0%	8.9%
	2425	1532	1150	1095	852	686

Number of Contact Sheets

Command

Most Contact Sheets come from non-Mental Health Units; Among MH Units COAST is most common

	CIU	MCT	COAST
n=2262	428	478	1356

Y-axis: Number of Contacts

X-axis: Responding Mental Health Teams

CIU: 18.9%
MCT: 21.1%
COAST: 59.9%

Contact Sheets may indicate multiple disorders

Mental Health Issues Type	Number of Contacts
Depression	1367
Schizophrenia	1290
Bipolar	1016
PTSD	827
Anxiety	823
ADHD	244
Autism	217
Intellectual Disability	210
Brain	145

About 30% of Contact Sheets had a Supervisor on Scene

Most Contact Sheets are Resolved with No Action, Voluntary Transport, or an Enforcement Action

Number of Contact Sheets

3500

3000 — 36.5%

2500 — 31.2%

2000 — 26.7%

1500

1000

Breakout on Next Slide

500

3.4% 1.3% 0.5% 0.2% 0.2%

0

■ n=7860	No Action Required	Voluntary Mental Health Transport	Involuntary Mental Health Transport	Enforcement Action	Disengagement	Deceased (Suicide)	No Data Recorded	Issued Verbal Warning
	2871	2452	2097	266	102	40	16	16

Disposition of Contact

Enforcement Actions are primarily Arrests

	Arrest	Summons Issued	Citation
n=266	191	65	10

Criminal Disposition Type

Most Arrests Involve Felony Charges

About 4% of Contact Sheets Report an Injury of any type

| n=304	SELF INFLICTED INJURIES	PRIOR TO POLICE CONTACT	INJURIES TO OTHER PERSONS	DUE TO USE OF FORCE	INJURY TO POLICE	UNINTENTIONAL SELF INJURY
	168	113	11	7	4	1

Injury Type

Number of Reported Injuries

Use of Force Data

Use of Force Data Overview

- Use of force data is drawn from **a different data source than contact sheets** (IA Pro) using the same dates (1/1/20 to 12/31/20). Each incident is identified by its CAD number.
- There are two types of data in the following counts: Behavioral Health and Suicide Calls and Calls Later Identified as Behavioral Health
  - The Later Identified category is new and has not been covered in previous reports.
  - These two identification systems may overlap, but both are displayed separately to fully encompass use of force on Behavioral Health related incidents.
- There have been 944 uses of force in the above categories. A CAD may encompass multiple recorded uses of force.

Force Used Identified by Call Type

Force Types Used During Behavioral Health or Suicide Calls for Service

Injuries Identified by Call Type

No Injuries were caused by LEO in 56% of Force Incidents During Behavioral Health or Suicide Calls

Force Used Identified After the Incident

Force Types Used During Behavioral Health or Suicide Calls, or on Individuals Experiencing a Crisis or Reporting a Mental Illness

Force Type	Count
Empty Hand: control	223
	201
Rifle: pointing	176
	40
ECW: Painting	39
	29
Handgun: pointing	21
	19
Empty Hand Techniques	17
	17
Ordered Force	14
	14
Firearm - OIS	13
	13
ECW: Arcing	12
	9
40mm CS Ferret	9
	8
40mm OC Ferret	8
	8
NFDD	8
	7
Authorized Deployment	7
	6
Beanbag: pointing	5
	3
PIT over 35	3
	2
Takedowns - Team	2
	2
Empty Hand: kick	2
	2
Hand/Feet Impact	2
	2
Takedowns - Solo	1
	1
40mm: miss	1
	1
CS hand ball	1
	1

Injuries Identified After the Incident

No Injuries were caused by LEO in 51% of Force Incidents During Behavioral Health or Suicide Calls, or on Individuals Experiencing a Crisis or Reporting a Mental Illness

Category	Count
No Injuries Reported or Observed	103
Injuries Not Caused By LEO	93
Abrasions	66
Complaint of Injury	57
Bruises	14
ECW Probes	12
Puncture	9
Other	8
Lacerations	8
Bloody Nose	5
Welt	2
Gunshot	2
Death	2
Drive Stun	2
OC Exposure	1